

A man is seen from behind, performing a squat in a gym. He is wearing a black t-shirt, black shorts, white socks with black stripes, and black sneakers with gold accents. He is holding a barbell with weights on both sides. The gym rack is dark grey and has a wooden floor in the center. The background is dark with some lights.

**E80** *Exigo*<sup>®</sup>

**E80 ELITE RACKS**  
EXIGO-UK.COM



## CONTACT

**WEB:** [www.exigo-uk.com](http://www.exigo-uk.com)

**SALES:** 0870 850 1822

**INT'L:** +44 (0) 1706 633 560

**EMAIL:** [sales@exigo-uk.com](mailto:sales@exigo-uk.com)

## DISCLAIMER

Some images in this brochure feature auxiliary items such as weight plates and Olympic bars etc. which are for illustrative purposes only, and are not included with the product.

## CONTENTS

<b>ABOUT US</b> .....	<b>4</b>
<b>CERTIFICATIONS</b> .....	<b>5</b>
<b>MADE IN BRITAIN</b> .....	<b>6</b>
<b>OUR PROCESS</b> .....	<b>8</b>

<b>E80 ELITE RACKS</b> .....	<b>10</b>
<b>ATTACHMENTS</b> .....	<b>28</b>
<b>COLOUR OPTIONS</b> .....	<b>32</b>
<b>WARRANTY</b> .....	<b>33</b>





## ABOUT US

Established in 1995 by Founder and Managing Director Darren Golden, Exigo is the largest commercial gym equipment manufacturer in the UK and are recognised as a major source of quality products within the fitness industry. In more than 20 countries worldwide and an unrivalled product portfolio across Strength, Functional and Boxing.

**1995**  
ESTABLISHED

**30 000ft<sup>2</sup>**  
MANUFACTURING FACILITY

**+300**  
PRODUCTS

**+20**  
COUNTRIES

**5000ft<sup>2</sup>**  
R&D FACILITY

## CERTIFICATIONS

Exigo has attained ISO 9001:2015 for quality management standards, and our products are fully compliant with the current EN 957 and EN ISO 20957 Stationary Training Equipment standards.

Exigo are also an accredited CHAS Contractor. The industry-leading health & safety contractor certification in the UK.



## MADE IN BRITAIN

Exigo is renowned for manufacturing gym equipment and our commitment to excellence. We own our own product design, testing and manufacturing facility based in the UK, and are in full control of our own production and processes.

### BRITISH STEEL

All Exigo products are produced with British Steel. Our 100x50x3 ERW flat sided oval, is produced in the UK to BSEN 10305-3:2010 specification.

### BUILT TO LAST

At Exigo we understand purchasing gym equipment is a big investment, therefore all our products are built to last and are backed by an industry leading main frame lifetime warranty.

### QUALITY CONTROL

Our products are subject to rigorous in house testing, ensuring they are fit for purpose to meet the demands and expectations of our customers.

### CONTINUAL DEVELOPMENT

We are constantly creating and developing. Our culture of continuous improvement, innovation and learning permeates the entire organisation and means that we never stand still.

## OUR MISSION

We aim to provide a source of quality products and services that meet or exceed your expectations. You will find Exigo to be among the leading suppliers of products, support and services available in the industry today, yet you will not find us the most expensive. More of what you want for much less than you would expect to pay.

We recruit the very best welders and fabricators and provide genuine opportunities for them to develop their skills and move on within the business. As part of our commitment to quality, all Exigo products are supported by an industry leading lifetime frame and weld guarantee.

# DESIGN. MANUFACTURE. INSTALLATION.

The ability to control our manufacturing processes, means that we can design and custom-build commercial gym equipment to a level that our customers tell us is unrivalled in the industry.

## // 01

### JUST IN TIME COMPONENTS

Through third party supplier agreements we are now able to reduce our lead times down to a maximum of 7 days for any materials required.

## // 02

### PICK COMPONENTS

Using our bespoke production planning system, work can be accurately scheduled and all components are picked on demand.

## // 03

### TUBE MANIPULATION

The first stage of manufacturing requires us to bend and manipulate steel using one of our four CNC tube bending machines.

## // 04

### MIG WELDING

Our team of highly skilled welders can then assemble and weld all parts using MIG welding.

## // 05

### POLYESTER POWDER COAT

Products then go through a two stage cleaning and phosphate treatment process, before a polyester powder coat is applied.

## // 06

### ASSEMBLY & INSPECTION

Exigo products are pre-assembled and inspected prior to packing and despatch.

## // 07

### FLAT PACKED

Exigo products ship flat packed, the appropriate packaging not only ensures your goods arrive safely and securely but can also help to reduce shipping and transport costs.

## // 08

### DELIVERY & INSTALLATION

Our experienced installation team is dedicated to providing an excellent service and will ensure your install runs smoothly and your equipment is set up correctly.

**EXIGO E80 ELITE  
SQUAT STANDS**



<b>SKU:</b>	E80-1800
<b>UPRIGHTS:</b>	80x80x3 mm
<b>LENGTH:</b>	1387 mm (55 ")
<b>WIDTH:</b>	1426 mm (56 ")
<b>HEIGHT:</b>	1955 mm (77 ")
<b>PULL-UP OPTIONS:</b>	NO
<b>NUMBERED HOLES:</b>	YES
<b>WESTSIDE HOLE SPACING:</b>	YES

**EXIGO E80 ELITE  
HALF RACK**



<b>SKU:</b>	E80-180-MG
<b>UPRIGHTS:</b>	80x80x3 mm
<b>LENGTH:</b>	1408 mm (56 ")
<b>WIDTH:</b>	1882 mm (74 ")
<b>HEIGHT:</b>	2435 mm (96 ")
<b>PULL-UP OPTIONS:</b>	YES
<b>NUMBERED HOLES:</b>	YES
<b>WESTSIDE HOLE SPACING:</b>	YES

**EXIGO E80 ELITE  
POWER RACK**



<b>SKU:</b>	E80-1810-MG
<b>UPRIGHTS:</b>	80x80x3 mm
<b>LENGTH:</b>	2049 mm (81 ")
<b>WIDTH:</b>	1882 mm (74 ")
<b>HEIGHT:</b>	2435 mm (96 ")
<b>PULL-UP OPTIONS:</b>	YES
<b>NUMBERED HOLES:</b>	YES
<b>WESTSIDE HOLE SPACING:</b>	YES

**EXIGO E80 ELITE  
SQUAT RACK**



<b>SKU:</b>	E80-1815
<b>UPRIGHTS:</b>	80x80x3 mm
<b>LENGTH:</b>	1877 mm (74 ")
<b>WIDTH:</b>	1862 mm (74 ")
<b>HEIGHT:</b>	2046 mm (81 ")
<b>PULL-UP OPTIONS:</b>	NO
<b>NUMBERED HOLES:</b>	NO
<b>WESTSIDE HOLE SPACING:</b>	NO

**EXIGO E80 ELITE  
DUAL HALF RACK**





<b>SKU:</b>	E80-1820-MG
<b>UPRIGHTS:</b>	80x80x3 mm
<b>LENGTH:</b>	2380 mm (94 ")
<b>WIDTH:</b>	1882 mm (74 ")
<b>HEIGHT:</b>	2435 mm (96 ")
<b>PULL-UP OPTIONS:</b>	YES
<b>NUMBERED HOLES:</b>	YES
<b>WESTSIDE HOLE SPACING:</b>	YES

**EXIGO E80 ELITE  
DUAL POWER RACK**



<b>SKU:</b>	E80-1830-MG
<b>UPRIGHTS:</b>	80x80x3 mm
<b>LENGTH:</b>	3667 mm (145 ")
<b>WIDTH:</b>	1882 mm (74 ")
<b>HEIGHT:</b>	2435 mm (96 ")
<b>PULL-UP OPTIONS:</b>	YES
<b>NUMBERED HOLES:</b>	YES
<b>WESTSIDE HOLE SPACING:</b>	YES



**EXIGO E80 ELITE HALF RACK**

The Exigo E80 Elite Half Rack has 4 pull-up options and includes J-Hooks, Safety Spot Arms, Band Pegs, Weight Horns, and Bar Storage as standard. The Half Rack is an optimised solution that offers a smaller footprint in comparison to a full Power Rack and provides an open front design to give users complete freedom and flexibility. It is designed to meet the demands of busy commercial gyms or professional facilities and is made with 80x80x3mm steel uprights that feature laser-cut numbering for quick and easy reference along with 25mm (1") westside hole spacing for precise adjustments. Enhance the base unit with a selection of attachments and custom colours to create a personalised set-up.

*Weight plates and bars are for illustrative purposes only and not included with the product.*

**PULL-UP OPTIONS**



**MULTI BALL GRIP PULL-UP BAR**  
E80-1805-MG

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
1408 mm (56")	1882 mm (74")	2435 mm (96")



**ADJUSTABLE PULL-UP HANDLES**  
E80-1805-AH

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
1408 mm (56")	1882 mm (74")	2363 mm (93")



**ANGLED PULL-UP BAR**  
E80-1805-AG

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
1408 mm (56")	1882 mm (74")	2363 mm (93")



**45 DEGREE WING**  
E80-1805-WG

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
1590 mm (63")	1882 mm (74")	2811 mm (111")



MATRIX





**PULL-UP OPTIONS**





**MULTI BALL GRIP PULL-UP BAR**  
E80-1810-MG

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
2049 mm (81")	1882 mm (74")	2435 mm (96")



**ADJUSTABLE PULL-UP HANDLES**  
E80-1810-AH

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
2049 mm (81")	1882 mm (74")	2363 mm (93")



**ANGLED PULL-UP BAR**  
E80-1810-AG

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
2049 mm (81")	1882 mm (74")	2363 mm (93")



**45 DEGREE WING**  
E80-1810-WG

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
2389 mm (94")	1882 mm (74")	2810 mm (111")

**EXIGO E80 ELITE POWER RACK**

The Exigo E80 Elite Power Rack has 4 pull-up options and includes J-Hooks, Internal Safety Spot Arms, Band Pegs, Weight Horns, and Bar Storage as standard. This rack offers a completely enclosed lifting area to fully support the user and is designed to meet the demands of busy commercial gyms and professional facilities. It is made with 80x80x3mm steel uprights that feature laser-cut numbering for quick and easy reference along with 25mm (1") westside hole spacing for precise adjustments. Enhance the base unit with a selection of attachments and custom colours to create a personalised set-up.

*Weight plates and bars are for illustrative purposes only and not included with the product.*






**FLYEfit**

STRENGTH & CONDITIONING

**FLYEfit**

**FLYEfit**



**EXIGO E80 ELITE SQUAT RACK**  
E80-1815

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
1877 mm (74")	1862 mm (74")	2046 mm (81")

The Exigo E80 Elite Squat Rack is an impressive station ideal for safely performing a variety of weightlifting exercises. It features a 6-position chrome bar catcher for holding the bar between sets and provides a substantial lifting area with large safety arms for an increased range of movement. Weight Horns and Bar Holders are included as standard to keep your training space safe and tidy. This rack is made with 80x80x3mm steel uprights to meet the demands of commercial gyms or professional facilities.

*Weight plates and bars are for illustrative purposes only and not included with the product.*



**EXIGO E80 ELITE SQUAT STANDS**  
E80-1800

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
1387 mm (55")	1426 mm (56")	1955 mm (77")

The Exigo E80 Elite Squat Stands include J-Hooks, Safety Spot Arms, Band Pegs, and Bar Storage as standard. This rack is a versatile solution for performing various weightlifting exercises and is designed to meet the demands of busy commercial gyms or professional facilities. It is made with 80x80x3mm steel uprights that feature laser-cut numbering for quick and easy reference along with 25mm (1") westside hole spacing for precise adjustments.

*Weight plates and bars are for illustrative purposes only and not included with the product.*





**EXIGO E80 ELITE DUAL HALF RACK**

The Exigo E80 Elite Dual Half Rack maximises floor space and provides back-to-back training stations. As standard this rack includes a Multi Ball Grip Pull-Up Bar, as well as a choice of 4 pull-up options on the opposite side, 2 pairs of J-Hooks, 2 pairs of Safety Spot Arms, Band Pegs, and shared weight plate storage. It is designed to meet the demands of busy commercial gyms or professional facilities and is made with 80x80x3mm steel uprights that feature laser-cut numbering for quick and easy reference along with 25mm (1") westside hole spacing for precise adjustments. Enhance the base unit with a selection of attachments and custom colours to create a personalised set-up.

*Weight plates and bars are for illustrative purposes only and not included with the product.*

**PULL-UP OPTIONS**




**MULTI BALL GRIP PULL-UP BAR**  
E80-1820-MG

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
2380 mm (94")	1882 mm (74")	2435 mm (96")



**ADJUSTABLE PULL-UP HANDLES**  
E80-1820-AH

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
2380 mm (94")	1882 mm (74")	2435 mm (96")




**ANGLED PULL-UP BAR**  
E80-1820-AG

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
2380 mm (94")	1882 mm (74")	2435 mm (96")




**45 DEGREE WING**  
E80-1820-WG

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
2563 mm (101")	1882 mm (74")	2811 mm (111")



## PULL-UP OPTIONS






**MULTI BALL GRIP PULL-UP BAR**  
E80-1825-MG

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
3024 mm (119")	1882 mm (74")	2435 mm (96")



**ADJUSTABLE PULL-UP HANDLES**  
E80-1825-AH

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
3024 mm (119")	1882 mm (74")	2435 mm (96")



**ANGLED PULL-UP BAR**  
E80-1825-AG

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
3024 mm (119")	1882 mm (74")	2435 mm (96")




**45 DEGREE WING**  
E80-1825-WG

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
3363 mm (133")	1882 mm (74")	2811 mm (111")


### EXIGO E80 ELITE POWER/HALF RACK

The Exigo E80 Elite Power/Half Rack is a combination of an E80 Elite Power Rack and E80 Elite Half Rack to maximise floor space and to provide back-to-back training stations. As standard this rack includes a Multi Ball Grip Pull-Up Bar on the Half Rack, and a choice of 4 pull-up options on the Power Rack. Also included are 2 pairs of J-Hooks, a pair of Safety Spot Arms and Internal Safety Spot Arms, Band Pegs, and weight plate storage. It is designed to meet the demands of busy commercial gyms or professional facilities and is made with 80x80x3mm steel uprights that feature laser-cut numbering for quick and easy reference along with 25mm (1") westside hole spacing for precise adjustments. Enhance the base unit with a selection of attachments and custom colours to create a personalised set-up.

*Weight plates and bars are for illustrative purposes only and not included with the product.*




## PULL-UP OPTIONS






**MULTI BALL GRIP PULL-UP BAR**  
E80-1830-MG

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
3667 mm (145")	1882 mm (74")	2435 mm (96")



**ADJUSTABLE PULL-UP HANDLES**  
E80-1830-AH

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
3667 mm (145")	1882 mm (74")	2435 mm (96")



**ANGLED PULL-UP BAR**  
E80-1830-AG

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
3667 mm (145")	1882 mm (74")	2435 mm (96")



**45 DEGREE WING**  
E80-1830-WG

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
4006 mm (158")	1882 mm (74")	2811 mm (111")

### EXIGO E80 ELITE DUAL POWER RACK

The Exigo E80 Elite Dual Power Rack maximises floor space and provides back-to-back training stations. As standard this rack includes a Multi Ball Grip Pull-Up Bar, as well as a choice of 4 pull-up options on the opposite side, 2 pairs of J-Hooks, 2 pairs of Internal Safety Spot Arms, Band Pegs, and shared weight plate storage. It is designed to meet the demands of busy commercial gyms or professional facilities and is made with 80x80x3mm steel uprights that feature laser-cut numbering for quick and easy reference along with 25mm (1") westside hole spacing for precise adjustments. Enhance the base unit with a selection of attachments and custom colours to create a personalised set-up.

*Weight plates and bars are for illustrative purposes only and not included with the product.*

## ATTACHMENTS



### 1 PULL-UP BAR Included

A pull-up bar is included as standard with 4 pull-up options to choose from.

### 2 BRANDING PLATE A-1585

Add the Branding Plate to include your brand logo or tag line on your E80 Rack.

### 3 J-HOOKS Included

Included as standard and are easily positioned at any height to safely hold your bar between sets. Our J-Hooks are lined with a plastic core for ultimate barbell protection.

### 4 1.5M INTEGRATED PLATFORM A-1715

Protects gym flooring and allows lifting outside of the rack. Include your brand logo or tag line on the oak centre to add a personal touch.

### 5 LANDMINE A-1515

Allows rotational exercises or presses and easily folds away when not in use. A must have to maximise your training regime.

### 6 SINGLE LOOP A-1530

The Single Loop provides a solid anchor point for a battle rope or resistance band.

### 7 BAR HOLDERS Included

2 Bar Holders are included on all E80 Elite Racks to provide easy access to bars and to keep your training space safe and tidy.

### 10 DIP ATTACHMENT A-1740

The Dip Attachment can be easily positioned at any height to perform dips or leg raises.

### 8 LOWER BAND PEGS Included

3 Lower Band Pegs are included as standard on both sides of the rack to provide multiple attachment points for resistance bands.

### 11 WEIGHT HORNS Included

Multiple weight horns are included as standard to provide easy access to weight plates and to keep your training space safe and tidy.

### 9 SAFETY SPOT ARMS Included

A pair of Safety Spot Arms are included as standard to enhance user safety and prevent damage to your equipment and gym floor.

### 12 UPPER BAND PEG Included

Included as standard on both sides of the rack to provide an attachment points for resistance bands.

## ATTACHMENTS

SKU	PRODUCT
A-1515	LANDMINE
A-1530	SINGLE LOOP
A-1545	HIGH LOW PULLEY ATTACHMENT
A-1570	BAR STORAGE HOOK
A-1575	BAR STORAGE HOLDER
A-1580	CHALK BOWL
A-1585	BRANDING PLATE
A-1615	TARGET BOARD
A-1655	STORAGE HOOKS
A-1700	BOLT ON WEIGHT HORN (2" Dia x 325mm)
A-1701	BOLT ON WEIGHT HORN (2" Dia x 175mm)
A-1715	E80 ELITE HALF RACK 1.5M INTEGRATED OAK PLATFORM
A-1720	E80 ELITE HALF RACK 1M INTEGRATED OAK PLATFORM
A-1725	E80 ELITE POWER RACK 1.5M INTEGRATED OAK PLATFORM
A-1730	E80 ELITE POWER RACK 1M INTEGRATED OAK PLATFORM
A-1735	E80 ELITE SAFETY SPOT ARMS (PAIR)
A-1740	E80 ELITE DIP ATTACHMENT
A-1745	E80 ELITE HIP THRUST PAD
A-1750	E80 ELITE SINGLE LEG SQUAT PAD
A-1755	E80 ELITE ANGLED PULL-UP BAR
A-1760	E80 ELITE MULTI BALL GRIP PULL-UP BAR
A-1765	E80 ELITE ADJUSTABLE PULL-UP HANDLES
A-1770	E80 ELITE 45 DEGREE WING
2281	2X1M OAK INSERT 30MM
2282	2X1M OAK INSERT 40MM





# COLOUR OPTIONS

## / 01

### PRIMARY COLOUR

Choose the primary colour of your equipment, this is applied to the the uprights.

## / 02

### SECONDARY COLOUR

Choose the secondary colour of your equipment, this is applied to grip points, joining sections and attachments.

## / 03

### UPHOLSTERY COLOUR


Choose the upholstery colour for your equipment if applicable.

## / 04

### CUSTOM BRANDING

Add your gym, team or organisation logo to your equipment.

## STANDARD FRAME COLOURS



## TEXTURED FRAME COLOURS



## STANDARD UPHOLSTERY COLOURS



Actual upholstery colours may vary slightly from visuals. Other colours available on request.

## COLOUR MATCH EXISTING EQUIPMENT

In addition to our standard frame colours, we're able to match your existing equipment or specific RAL/Pantone colour.

# WARRANTY

All Exigo products are warrantied to be free from defects in materials and workmanship. Exigo warrants to the original purchaser of all new equipment purchased from an Exigo authorized dealer or from an Exigo manufacturing contractor or directly from Exigo, that these products be warrantied under normal use and used in a manner in which the product(s) was specifically designed for, used as intended and in areas designed suitable for that use and service. The shipping of parts replaced or product replaced under warranty to be determined by Exigo. Parts replaced under warranty carry the original remaining warranty period or 90 days whichever is longer.

### GENERAL WARRANTIES.

Strength, Selectorized, Plate Loaded, Olympic Stations, Strength and conditioning / Storage, Functional Range and Attachments.

### LIFETIME WARRANTY.

Main Frame, Structural Steel and Welds.

### TWO YEAR WARRANTY.

Linear Bearings, Linear Shafts, Bronze Bushings, Sealed Rotating Bearings and Pulley Wheel, Top Plate, Weight Plates, Selector Shaft, Weight Stack Guide Rods and Pulley Wheel Housings. Lifting Rack Attachments, Functional Rig Attachments and all Rack Attachments in Olympic Series.

### ONE YEAR WARRANTY.

Spring Loaded Pins, Selector Pin Cables and Cable Parts, Handles, End Caps, Rubber lifting Mats (within Integrated Lifting Platforms, Rubber Surface Tiles, Oak Centres and Lifting Platform Underboards and all other components not mentioned elsewhere in this warranty.

### 180 DAY WARRANTY.

Normal parts of wear including but not limited to Labels, Upholstered Pads, Excluding Wear, Wraps and Embroidery.

### EXCLUSIONS, OMISSIONS & INDEMNITY.

Exigo have no liability nor shall this limited warranty apply with respect to:

- Products not manufactured by Exigo or by an authorized Exigo manufacturing contractor.
- Products which have been altered without express written consent from Exigo
- Products purchased other than directly from Exigo or through an authorized Exigo dealer
- Defective coatings caused by environmental conditions including but not limited to climate conditions, cleaning materials and lubricants not specified by Exigo and moisture or humidity including perspiration.
- The defect occurs as a result of use other than fair wear and tear, wilful or negligent damage or the use of the product other than the purpose for which it is intended.
- Products not maintained in compliance with Exigo specifications shown in the relevant owner's manual and on product labels. Unreadable or altered serial tag.
- Mounting surface or substrate mounting of Exigo wall mounted units, sections or attachments. Exigo is expressly indemnified against selection of; or use of fixings for wall units or attachment to or fixing to inappropriate or inadequate surface mounting points.

Exigo shall not be liable for any special, incidental contingent, consequential damages or otherwise arising out of or in connection with a claim for any economic losses including but not limited to damage of loss of property or equipment and loss profits and revenue, loss of goodwill or reputation, anticipated or otherwise. Exigo aggregate liability for loss or damage shall in any event be limited to a sum equal to the amount paid for the products in one instance.

Exigo reserve the right under any claim to repair or replace the product as they deem fit and may elect.

### BOXING EQUIPMENT.

#### FIVE YEAR WARRANTY.

Boxing Ring, Main Frame

#### ONE YEAR WARRANTY.

Canvas Skirts, Corner Pads, All Consumables, Steel Works (Brackets)

#### 180 DAY WARRANTY.

Punch Bags, Gloves & Mitts, Ring Boards, Ropes, Tensioners

#### 90 DAY WARRANTY.

Underlay

### OUTDOOR EQUIPMENT.

#### FIVE YEAR WARRANTY.

Main Frame, Structural Steel and Welds (excluding coatings) against structural failure due to corrosion or defects in workmanship

#### ONE YEAR WARRANTY.

Linear Bearings, Linear Shafts, Bronze Bushings

#### 90 DAY WARRANTY.

Spring Loaded Pins, Selector Pin Cables and Cable Parts, Handles, End Caps

#### 30 DAY WARRANTY.

Normal parts of wear including but not limited to Labels, Upholstered Pads, Excluding Wear, Wraps and Embroidery.



©2024 Exigo. All Rights Reserved.