



**Exigo**

**STRENGTH**  
EXIGO-UK.COM





## CONTACT

**WEB:** [www.exigo-uk.com](http://www.exigo-uk.com)

**SALES:** 0870 850 1822  
**INT'L:** +44 (0) 1706 633 560

**EMAIL:** [sales@exigo-uk.com](mailto:sales@exigo-uk.com)

## DISCLAIMER


Some products in this brochure feature auxiliary items such as weight plates and Olympic bars etc. which are for illustrative purposes only, and are not included with the product.

## CONTENTS

<b>ABOUT US</b> .....	<b>4</b>	<b>BENCHES</b> .....	<b>36</b>
<b>CERTIFICATIONS</b> .....	<b>5</b>	<b>CONDITIONING</b> .....	<b>44</b>
<b>MADE IN BRITAIN</b> .....	<b>6</b>	<b>LIFTING PLATFORMS</b> .....	<b>46</b>
<b>OUR PROCESS</b> .....	<b>8</b>	<b>STORAGE</b> .....	<b>50</b>
<b>CUSTOM EQUIPMENT</b> .....	<b>10</b>	<b>COLOUR OPTIONS</b> .....	<b>56</b>
<b>SELECTORIZED</b> .....	<b>12</b>	<b>WARRANTY</b> .....	<b>57</b>
<b>PLATE LOADED</b> .....	<b>24</b>		







## ABOUT US

Established in 1995 by Founder and Managing Director Darren Golden, Exigo is the largest commercial gym equipment manufacturer in the UK and are recognised as a major source of quality products within the fitness industry. In more than 20 countries worldwide and an unrivalled product portfolio across Strength, Functional and Boxing.

**1995**  
ESTABLISHED

**30 000ft<sup>2</sup>**  
MANUFACTURING FACILITY

**+300**  
PRODUCTS

**+20**  
COUNTRIES

**5000ft<sup>2</sup>**  
R&D FACILITY

## CERTIFICATIONS

Exigo has attained ISO 9001:2008 and ISO 9001:2015 for quality management standards, and our products are fully compliant with the current EN 957 and EN ISO 20957 Stationary Training Equipment standards.

Exigo are also an accredited CHAS Contractor. The industry-leading health & safety contractor certification in the UK.





## MADE IN BRITAIN

Exigo is renowned for manufacturing gym equipment and our commitment to excellence. We own our own product design, testing and manufacturing facility based in the UK, and are in full control of our own production and processes.

### BRITISH STEEL

All Exigo products are produced with British Steel. Our 100x50x3 ERW flat sided oval, is produced in the UK to BSEN 10305-3:2010 specification.

### STRONG WARRANTIES

All Exigo products are backed by an industry leading Lifetime Warranty on frames and weldments.

### QUALITY CONTROL

Our products are subject to rigorous in house testing, ensuring they are fit for purpose to meet the demands and expectations of our customers.

### FLAT PACKAGING

We realise that the appropriate packaging not only ensures your goods arrive safely and securely but can also help to reduce shipping and transport costs.

## OUR MISSION

We aim to provide a source of quality products and services that meet or exceed your expectations. You will find Exigo to be among the leading suppliers of products, support and services available in the industry today, yet you will not find us the most expensive. More of what you want for much less than you would expect to pay.

We recruit the very best welders and fabricators and provide genuine opportunities for them to develop their skills and move on within the business. As part of our commitment to quality, all Exigo products are supported by an industry leading lifetime frame and weld guarantee.



# DESIGN. MANUFACTURE. INSTALLATION.

The ability to control our manufacturing processes, means that we can design and custom-build commercial gym equipment to a level that our customers tell us is unrivalled in the industry.

## // 01

### JUST IN TIME COMPONENTS

Through third party supplier agreements we are now able to reduce our lead times down to a maximum of 7 days for any materials required.

## // 02

### PICK COMPONENTS

Using our bespoke production planning system, work can be accurately scheduled and all components are picked on demand.

## // 03

### TUBE MANIPULATION

The first stage of manufacturing requires us to bend and manipulate steel using one of our four CNC tube bending machines.

## // 04

### MIG WELDING

Our team of highly skilled welders can then assemble and weld all parts using MIG welding.

## // 05

### POLYESTER POWDER COAT

Products then go through a two stage cleaning and phosphate treatment process, before a polyester powder coat is applied.

## // 06

### ASSEMBLY & INSPECTION

Exigo products are pre-assembled and inspected prior to packing and despatch.

## // 07

### FLAT PACKED

Exigo products ship flat packed, the appropriate packaging not only ensures your goods arrive safely and securely but can also help to reduce shipping and transport costs.

## // 08

### DELIVERY & INSTALLATION

Our experienced installation team is dedicated to providing an excellent service and will ensure your install runs smoothly and your equipment is set up correctly.





## CUSTOM EQUIPMENT

We custom make gym equipment to meet the requirements of our customers. We offer multiple customisation options to help personalise products without effecting lead times.



### FRAME COLOUR

A wide range of frame colours are available. We offer 22 standard colours to choose from, with additional colours available on request.

### CUSTOM DESIGN

We have the ability to custom design and manufacture products to a bespoke size or request to fit a specific purpose or space if required.

### UPHOLSTERY COLOUR

A wide range of upholstery colours are available. We offer 18 standard colours to choose from, with additional colours available on request.

### OUTDOOR USE

If required our products can be galvanised to ensure suitability for outdoor use.

### CUSTOM BRANDING

Custom branding is available on our products where there is a protection wrap, weight stack shroud or an oak centred lifting platform.

### LEAD TIMES

There is no affect on lead times with any of our standard customisation options.



# SELECTORIZED

Exigo Selectorized machines offer attractive designs with outstanding quality and performance. Incremental weights allow precise increases and converging and diverging motions ensure a natural path of movement and comfort during the exercise.

## INCREMENTAL WEIGHTS

All incremental weights are indicated in kg/lbs, while the magnetic weight pin ensures secure selection.

## COMFORT GRIP

38mm rubber ribbed handles provide comfort with capped anodised aluminium ends for protection.

## STACK UPGRADES

Most of our Selectorized machines are supplied with a 100kg weight stack as standard, if required this can be swapped for a 75kg, 125kg or 150kg stack.

## STRUCTURAL FRAME

All main frames are constructed using 100x50x3 ERW flat sided oval, produced in the UK to BSEN 10305-3:2010 specification offering a lifetime main frame warranty.

## SEAT ASSEMBLY

Simple height adjustments, ensure correct and effective exercise posturing. Numeric indicators allow easy reference.

## OPTIONAL FRONT SHROUD

All Selectorized machines come with a rear shroud as standard, if preferred you can upgrade your equipment to include a front shroud.

## EXERCISE PLACARD

Easy to understand exercise placards featuring instructional diagrams and targeted muscle groups.

## CUSTOMISATION

Available in a variety of frame and upholstery colours with the ability to include your gym, team or organisation logo.









**CHEST PRESS**  
SKU: 1005-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1310 x 1354 x 1496 mm (52 x 53 x 58 ")	249 kg (549 lbs)	100 kg (220 lbs)	125/150 kg (276/331 lbs)




**INCLINE CHEST PRESS**  
SKU: 1010-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1272 x 1282 x 2166 mm (50 x 50 x 85 ")	256 kg (564 lbs)	100 kg (220 lbs)	125/150 kg (276/331 lbs)




**PECTORAL FLY REAR DELTOID**  
SKU: 1030-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1435 x 1417 x 2043 mm (56 x 57 x 80 ")	275 kg (606 lbs)	100 kg (220 lbs)	125/150 kg (276/331 lbs)



**LATERAL PULLDOWN**  
SKU: 1035-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1350 x 950 x 2207 mm (53 x 37 x 87 ")	231 kg (509 lbs)	125 kg (276 lbs)	150 kg (331 lbs)




**NEW**




**MULTI PRESS**  
SKU: 1012-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK




**SHOULDER PRESS**  
SKU: 1015-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1364 x 1279 x 1496 mm (54 x 50 x 59 ")	242 kg (534 lbs)	100 kg (220 lbs)	125/150 kg (276/331 lbs)




**DUAL CABLE LATERAL PULLDOWN**  
SKU: 1036-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1336 x 950 x 2197 mm (53 x 37 x 86 ")	247 kg (545 lbs)	125 kg (276 lbs)	150 kg (331 lbs)




**LATERAL PULLDOWN LOW ROW**  
SKU: 1055-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1879 x 950 x 2197 mm (74 x 37 x 86 ")	252 kg (556 lbs)	125 kg (276 lbs)	150 kg (331 lbs)




**LATERAL RAISE**  
SKU: 1020-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1008 x 1213 x 1496 mm (40 x 48 x 58 ")	193 kg (425 lbs)	75 kg (165 lbs)	100/125/150 kg (220/276/331 lbs)




**STANDING LATERAL RAISE**  
SKU: 1024-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
		100 kg (220 lbs)	125/150 kg (276/331 lbs)




**LATERAL LOW ROW**  
SKU: 1045-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
2257 x 950 x 2191 mm (89 x 37 x 86 ")	246 kg (543 lbs)	125 kg (276 lbs)	150 kg (331 lbs)



**LATERAL SEATED ROW**  
SKU: 1050-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1575 x 1255 x 1496 mm (62 x 49 x 59 ")	206 kg (454 lbs)	100 kg (220 lbs)	125/150 kg (276/331 lbs)





NEW



**PULLOVER MACHINE**  
SKU: 1040-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1312 mm (52 ")	630 mm (25 ")	456 - 1176 mm (18 - 47 ")	38 kg (84 lbs)




The Exigo Pullover Machine is designed to take your back workouts to the next level. Specifically engineered to target and engage your lats throughout the entire range of motion. Featuring elbow pads and a variable resistance CAM system, the Exigo Pullover Machine guarantees consistent tension on your lats throughout the entire exercise, maximizing the effectiveness of your workout. 5kg incremental weights allow precise resistance increases and numerous load options.




**ASSISTED CHIN DIP**  
SKU: 1060-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1610 x 1309 x 2554 mm (64 x 52 x 101 ")	254 kg (560 lbs)	100 kg (221 lbs)	75/125/150 kg (165/276/331 lbs)




**BICEP CURL**  
SKU: 1065-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1315 x 842 x 1496 mm (52 x 33 x 58 ")	199 kg (439 lbs)	75 kg (165 lbs)	100/125/150 kg (220/276/331 lbs)




**TRICEP EXTENSION**  
SKU: 1070-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1430 x 1354 x 1496 mm (56 x 33 x 58 ")	201 kg (443 lbs)	75 kg (165 lbs)	100/125/150 kg (220/276/331 lbs)



**TRICEP PRESS**  
SKU: 1075-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1474 x 1183 x 1496 mm (58 x 47 x 59 ")	241 kg (531 lbs)	100 kg (220 lbs)	75/125/150 kg (165/276/331 lbs)




NEW



**STANDING TRICEP PUSHDOWN**  
SKU: 1080-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK








**LEG EXTENSION**

SKU: 1100-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1434 x 959 x 1496 mm (56 x 38 x 58 ")	237 kg (522 lbs)	100 kg (220 lbs)	75/125/150 kg (165/276/331 lbs)



**SEATED LEG CURL**

SKU: 1105-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1525 x 1039 x 1496 mm (60 x 41 x 58 ")	255 kg (562 lbs)	100 kg (220 lbs)	75/125/150 kg (165/276/331 lbs)



**LYING LEG CURL**

SKU: 1110-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1747 x 1006 x 1496 mm (69 x 40 x 58 ")	245 kg (540 lbs)	100 kg (220 lbs)	75/125/150 kg (165/276/331 lbs)



**LEG EXTENSION / LEG CURL**

SKU: 1115-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1460 x 1052 x 1496 mm (57 x 41 x 58 ")	262 kg (578 lbs)	100 kg (220 lbs)	75/125/150 kg (165/276/331 lbs)




**NEW**



**STANDING LEG CURL**

SKU: 1120-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1460 x 1052 x 1496 mm (57 x 41 x 58 ")	262 kg (578 lbs)	100 kg (220 lbs)	75/125/150 kg (165/276/331 lbs)



**SEATED LEG PRESS**

SKU: 1125-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
2189 x 1070 x 1796 mm (86 x 42 x 71 ")	433 kg (955 lbs)	150 kg (331 lbs)	75/100/125 kg (165/220/276 lbs)








**RECLINING LEG PRESS**

SKU: 1130-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
2389 x 1118 x 1796 mm (94 x 44 x 71 ")	315 kg (694 lbs)	150 kg (331 lbs)	75/100/125 kg (165/220/276 lbs)



**SEATED CALF RAISE**

SKU: 1135-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1451 x 1143 x 1496 mm (57 x 45 x 58 ")	249 kg (467 lbs)	100 kg (220 lbs)	75/125/150 kg (165/276/331 lbs)




NEW



**STANDING CALF RAISE**

SKU: 1140-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1270 x 1161 x 1682 mm (50 x 46 x 66 ")	255 kg (562 lbs)	150 kg (331 lbs)	75/100/125 kg (165/220/276 lbs)



**HIP ADDUCTOR / ABDUCTOR**

SKU: 1160-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1571 x 910 x 1493 mm (62 x 36 x 59 ")	218 kg (481 lbs)	100 kg (220 lbs)	75/125/150 kg (165/276/331 lbs)



**ROTARY HIP**

SKU: 1165-1



DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1614 x 1238 x 1496 mm (64 x 49 x 58 ")	215 kg (474 lbs)	100 kg (220 lbs)	75/125/150 kg (165/276/331 lbs)



**ABDOMINAL MACHINE**

SKU: 1200-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1515 x 983 x 1496 mm (60 x 39 x 58 ")	227 kg (500 lbs)	100 kg (220 lbs)	75/125/150 kg (165/276/331 lbs)



**GLUTE MACHINE**

SKU: 1145-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
2060 x 893 x 1495 mm (81 x 35 x 59 ")	220 kg (485 lbs)	100 kg (220 lbs)	75/125/150 kg (165/276/331 lbs)



The Exigo Glute Machine effectively isolates and builds the gluteal muscles. This exercise involves swinging the leg backwards and is performed one leg at a time.






**BACK / ABDOMINAL MACHINE**

SKU: 1210-1



DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1395 x 1104 x 1496 mm (55 x 44 x 58 ")	214 kg (472 lbs)	100 kg (220 lbs)	75/125/150 kg (165/276/331 lbs)



**ABDOMINAL TWISTER**

SKU: 1215-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1711 x 1188 x 1496 mm (67 x 57 x 48 ")	226 kg (498 lbs)	100 kg (220 lbs)	75/125/150 kg (165/276/331 lbs)



**HIGH LOW PULLEY**

SKU: 1225-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
980 x 950 x 2191 mm (39 x 37 x 86 ")	190 kg (419 lbs)	100 kg (220 lbs)	75/125/150 kg (165/276/331 lbs)



**DUAL ADJUSTABLE PULLEY**

SKU: 1115-1

DIMENSIONS L x W x H	PRODUCT WEIGHT	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1153 x 1659 x 2332 mm (46 x 66 x 92 ")	397 kg (876 lbs)	2 x 100 kg (2 x 220 lbs)	75/125/150 kg (165/276/331 lbs)



**CABLE CROSSOVER**

SKU: 1220-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
410 x 950 x 2332 mm (162 x 37 x 92 ")	390 kg (860 lbs)	2 x 100 kg (2 x 220 lbs)	75/125/150 kg (165/276/331 lbs)



**4 STATION JUNGLE GYM**

SKU: 1240-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
3648 x 2328 x 2207 mm (144 x 92 x 87 ")	800 kg (1764 lbs)	2 x 100 kg (2 x 220 lbs)	75/150 kg (165/331 lbs)



**5 STATION JUNGLE GYM**

SKU: 1245-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
3648 x 5268 x 2332 mm (144 x 207 x 92 ")	1000 kg (2205 lbs)	3 x 100 kg (220 lbs)	75/150 kg (165/331 lbs)



**8 STATION JUNGLE GYM**

SKU: 1250-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
3648 x 6426 x 2332 mm (144 x 253 x 92 ")	1620 kg (3571 lbs)	4 x 100 kg (220 lbs)	75/150 kg (165/331 lbs)





# PLATE LOADED

Designed and manufactured to deliver. Renowned for our superior biomechanics, Exigo offers a huge range of Plate Loaded equipment focusing on upper body, lower body and ground based workouts.

## SMOOTH ISO MOVEMENTS

Many of our Plate Loaded products feature ISO lateral technology which allows the user to train both limbs at the same time, or individually.

## COMFORT GRIP

38mm rubber ribbed handles provide comfort with capped anodised aluminium ends for protection.

## EXERCISE PLACARD

Easy to understand exercise placards featuring instructional diagrams and targeted muscle groups.

## CUSTOMISATION

Available in a variety of frame and upholstery colours with the ability to include your gym, team or organisation logo.

## SEAT ASSEMBLY

Simple height adjustments, ensure correct and effective exercise posturing. Numeric indicators allow easy reference.

## STORAGE HORNS

Optional chrome storage horns with high impact ends are available to provide convenient storage points for weight plates.

## STRUCTURAL FRAME

All main frames are constructed using 100x50x3 ERW flat sided oval, produced in the UK to BSEN 10305-3:2010 specification offering a lifetime main frame warranty.








ISO

**CHEST PRESS**  
SKU: 3000-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1190 x 1872 x 1858 mm (47 x 74 x 73 ")	138 kg (304 lbs)	200 kg (441 lbs)	4 Double (8 Storage Points)



ISO

**INCLINE CHEST PRESS**  
SKU: 3005-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1390 x 2095 x 1857 mm (55 x 82 x 73 ")	140 kg (308 lbs)	200 kg (441 lbs)	4 Double (8 Storage Points)



ISO

**SHOULDER PRESS**  
SKU: 3020-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1444 x 1821 x 1564 mm (57 x 74 x 73 ")	126 kg (278 lbs)	200 kg (441 lbs)	4 Double (8 Storage Points)



ISO

**FRONT PIVOT SHOULDER PRESS**  
SKU: 3025-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1304 x 1935 x 1706 mm (51 x 76 x 67 ")	133 kg (293 lbs)	200 kg (441 lbs)	4 Single (4 Storage Points)



ISO

**DECLINE CHEST PRESS**  
SKU: 3010-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1442 x 1553 x 2157 mm (67 x 61 x 85 ")	145 kg (319 lbs)	200 kg (441 lbs)	4 Double (8 Storage Points)



ISO

**FLAT CHEST PRESS**  
SKU: 3015-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1660 x 1901 x 989 mm (65 x 75 x 39 ")	101 kg (223 lbs)	200 kg (441 lbs)	2 Single (2 Storage Points)



ISO

**LATERAL RAISE**  
SKU: 3030-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1205 x 1321 x 1294 mm (47 x 52 x 51 ")	88 kg (194 lbs)	200 kg (441 lbs)	2 Single (2 Storage Points)



ISO

**LATERAL ROW**  
SKU: 3035-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1568 x 1212 x 1339 mm (62 x 48 x 53 ")	110 kg (243 lbs)	200 kg (441 lbs)	N/A




NEW



ISO

**STANDING CHEST PRESS**  
SKU: 3016-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS




NEW



ISO

**PECTORAL FLY**  
SKU: 3018-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS



ISO

**LATERAL LOW ROW**  
SKU: 3040-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1464 x 1359 x 1871 mm (58 x 54 x 74 ")	129 kg (284 lbs)	200 kg (441 lbs)	4 Single (8 Storage Points)



ISO

**LATERAL PULLDOWN**  
SKU: 3045-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1793 x 1304 x 1910 mm (71 x 51 x 75 ")	128 kg (282 lbs)	200 kg (441 lbs)	4 Single (4 Storage Points)






NEW



**T-BAR ROW CHEST SUPPORT**  
SKU: 3050-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	STANDARD WEIGHT STACK	OPTIONAL WEIGHT STACK
1891 x 1282 x 1340 mm (74 x 50 x 53 ")	92 kg (203 lbs)	140 kg (309 lbs)	N/A




The Exigo T Bar Row Chest Support is designed with an adjustable footplate for targeting different areas of the back and 360-degree rotating handles that can be adjusted horizontally to set up a wide or close grip.

NEW



**STANDING T-BAR ROW**  
SKU: 3055-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1680 x 860 x 728 mm (66 x 34 x 29 ")	68 kg (150 lbs)	100 kg (220 lbs)	N/A



**PULLOVER**  
SKU: 3060-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1246 x 1750 x 1397 mm (49 x 69 x 55 ")	95 kg (209 lbs)	140 kg (309 lbs)	1 Single (1 Storage Point)




NEW



**SEATED BICEP CURL**  
SKU: 3065-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1463 x 1241 x 1193 mm (47 x 74 x 73 ")	82 kg (181 lbs)	100 kg (220 lbs)	N/A



ISO


**SEATED DIP**  
SKU: 3070-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1620 x 1687 x 951 mm (64 x 66 x 37 ")	116 kg (256 lbs)	200 kg (441 lbs)	2 Single (2 Storage Points)



**4 WAY NECK MACHINE**  
SKU: 3075-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1422 x 1236 x 1587 mm (56 x 49 x 62 ")	97 kg (214 lbs)	100 kg (220 lbs)	2 Single (2 Storage Points)



ISO

**SEATED/STANDING SHRUG**  
SKU: 3080-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1226 x 1635 x 1090 mm (48 x 64 x 43 ")	102 kg (225 lbs)	200 kg (441 lbs)	2 Single (2 Storage Points)









**GRIPPER**  
SKU: 3085-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1254 x 630 x 780 mm (49 x 25 x 31 ")	40 kg (88 lbs)	100 kg (220 lbs)	N/A



**SHRUG FRAME**  
SKU: 3090-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
683 x 1351 x 682 mm (27 x 53 x 27 ")	32 kg (71 lbs)	200 kg (441 lbs)	N/A



**ASSISTED GLUTE HAM DEVELOPER**  
SKU: 3121-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1234 x 1272 x 1633 mm (49 x 51 x 65 ")	84 kg (186 lbs)	100 kg (220 lbs)	N/A



**LEVER LEG PRESS**  
SKU: 3115-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	INCLUDED STORAGE HORNS



ISO

**LEG EXTENSION**  
SKU: 3100-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1500 x 1497 x 1117 mm (59 x 59 x 45 ")	86 kg (190 lbs)	200 kg (441 lbs)	N/A



NEW

**STANDING LEG CURL**  
SKU: 3110-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1239 x 1498 x 1420 mm (49 x 59 x 56 ")	95 kg (209 lbs)	200 kg (441 lbs)	2 Single (2 Storage Points)



NEW

**45 DEGREE LEG PRESS**  
SKU: 3126-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	INCLUDED STORAGE HORNS
2384 x 2191 x 1366 mm (94 x 87 x 54 ")	214 kg (472 lbs)	640 kg (1411 lbs)	2 Double (4 Storage Points)



NEW

**DUAL 45 DEGREE LEG PRESS**  
SKU: 3127-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	INCLUDED STORAGE HORNS
2476 x 1477 x 1496 mm (97 x 58 x 59 ")	312 kg (688 lbs)	280 kg (617 lbs)	2 Single / 2 Double (6 Storage Points)



**LYING LEG CURL**  
SKU: 3111-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1757 x 1220 x 856 mm (47 x 74 x 73 ")	97 kg (214 lbs)	100 kg (220 lbs)	2 Single (2 Storage Points)



NEW

**REAR KICKBACK**  
SKU: 3112-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
2213 x 1050 x 1563 mm (87 x 41 x 62 ")	180 kg (397 lbs)	280 kg (617 lbs)	4 Single (4 Storage Points)



NEW

**VERTICAL LEG PRESS**  
SKU: 3135-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	INCLUDED STORAGE HORNS
2098 x 1434 x 2022 mm (83 x 56 x 80 ")	281 kg (619 lbs)	280 kg (617 lbs)	4 Double (8 Storage Points)



**LUMBER SQUAT**  
SKU: 3130-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	INCLUDED STORAGE HORNS
2434 x 1871 x 1510 mm (96 x 74 x 59 ")	270 kg (595 lbs)	280 kg (617 lbs)	2 Single / 2 Double (6 Storage Points)








NEW



**HACK SQUAT**

SKU: 3131-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	INCLUDED STORAGE HORNS
2333 x 2065 x 1478 mm (92 x 81 x 58 ")	245 kg (540 lbs)	280 kg (617 lbs)	2 Single / 2 Double (6 Storage Points)




NEW



**LEVERAGE SQUAT**

SKU: 3139-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	INCLUDED STORAGE HORNS
1760 x 1809 x 1702 mm (69 x 72 x 67 ")	154 kg (340 lbs)	280 kg (617 lbs)	4 Double (8 Storage Points)




NEW



**V SQUAT**

SKU: 3140-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
2022 x 1739 x 1724 mm (80 x 68 x 68 ")	202 kg (445 lbs)	280 kg (617 lbs)	N/A



**BELT SQUAT**

SKU: 3141-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
2001 x 1110 x 1198 mm (79 x 44 x 47 ")	145 kg (320 lbs)	280 kg (320 lbs)	N/A




NEW



**PENDULUM SQUAT**

SKU: 3142-1


DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	INCLUDED STORAGE HORNS
1920 x 1534 x 1702 mm (76 x 60 x 67 ")	167 kg (369 lbs)	140 kg (309 lbs)	4 Single (4 Storage Points)



**SEATED CALF RAISE**

SKU: 3145-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1371 x 660 x 981 mm (54 x 26 x 39 ")	115 kg (254 lbs)	100 kg (220 lbs)	N/A








**DONKEY CALF RAISE**  
SKU: 3150-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1839 x 1586 x 2081 mm (72 x 62 x 82 ")	138 kg (304 lbs)	200 kg (441 lbs)	4 Single (4 Storage Points)




NEW



**REVERSE HYPER EXTENSION**  
SKU: 3155-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1690 x 1160 x 1251 mm (67 x 46 x 49 ")	122 kg (269 lbs)	200 kg (441 lbs)	2 Single (2 Storage Points)




ISO



**BODY DRIVE**  
SKU: 3160-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1747 x 2034 x 2157 mm (47 x 74 x 73 ")	130 kg (304 lbs)	200 kg (441 lbs)	2 Single / 2 Double (6 Storage Points)



**COUNTER BALANCE SMITH MACHINE**  
SKU: 3175-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	INCLUDED STORAGE HORNS
1055 x 2070 x 2308 mm (42 x 82 x 91 ")	174 kg (384 lbs)	200 kg (441 lbs)	6 Single (6 Storage Points)



NEW



**GLUTE THRUST**  
SKU: 3156-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS




NEW



**STANDING HIP THRUST**  
SKU: 3158-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS




**SMITH MACHINE**  
SKU: 3180-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	INCLUDED STORAGE HORNS
1180 x 2011 x 2271 mm (46 x 79 x 89 ")	138 kg (304 lbs)	200 kg (441 lbs)	6 Single (6 Storage Points)



**POWER SMITH**  
SKU: 3185-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	INCLUDED STORAGE HORNS
1360 x 2011 x 2261 mm (54 x 79 x 89 ")	175 kg (386 lbs)	200 kg (441 lbs)	6 Single (6 Storage Points)




ISO



**SHRUG / DEADLIFT**  
SKU: 3165-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1199 x 1635 x 933 mm (47 x 64 x 37 ")	80 kg (176 lbs)	200 kg (441 lbs)	2 Single (2 Storage Points)




ISO



**LUNGE**  
SKU: 3170-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1605 x 1635 x 933 mm (63 x 64 x 37 ")	85 kg (187 lbs)	200 kg (441 lbs)	2 Single (2 Storage Points)



NEW



**DUAL PULLEY POWER SMITH**  
SKU: 3190-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	INCLUDED STORAGE HORNS





# WEIGHT BENCHES

Our industry leading range of Benches are perfect for free weight, body weight, and strength based workouts. Combining stylish ergonomic designs with precision engineered components and featuring appropriate support for comfortable and efficient workouts.

## ERGONOMIC DESIGNS

All our benches are designed to set up the user correctly and provide optimum comfort during exercise.

## EASY ADJUSTMENTS

Our benches provide simple user adjustments to ensure safe, correct and effective exercise posturing.

## HIGH IMPACT MOUNT

High impact feet provide a secure and stable base with hidden floor mounting points.

## STORAGE HORNS

Optional chrome storage horns with high impact ends are available on some of our benches to provide convenient storage points for weight plates.

## CUSTOMISATION

Available in a variety of frame and upholstery colours with the ability to include your gym, team or organisation logo.

## STRUCTURAL FRAME

All main frames are constructed using 100x50x3 ERW flat sided oval, produced in the UK to BSEN 10305-3:2010 specification offering a lifetime main frame warranty.









**OLYMPIC FLAT BENCH**  
SKU: 2000-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1541 x 1294 x 1199 mm (61 x 51 x 47 ")	66 kg (146 lbs)	400 kg (882 lbs)	2 Double (4 Storage Points)



**OLYMPIC INCLINE BENCH**  
SKU: 2005-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1750 x 1294 x 1412 mm (69 x 51 x 56 ")	92 kg (203 lbs)	400 kg (882 lbs)	2 Double (4 Storage Points)



**OLYMPIC DECLINE BENCH**  
SKU: 2010-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1870 x 1294 x 1199 mm (74 x 51 x 48 ")	66 kg (146 lbs)	400 kg (882 lbs)	2 Double (4 Storage Points)



**OLYMPIC ADJUSTABLE MULTI BENCH**  
SKU: 2015-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1754 x 1724 x 1801 mm (69 x 68 x 71 ")	134 kg (295 lbs)	400 kg (882 lbs)	2 Single / 2 Double (6 Storage Points)



**OLYMPIC SHOULDER PRESS BENCH**  
SKU: 2020-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1116 x 1294 x 1679 mm (44 x 51 x 66 ")	83 kg (183 lbs)	400 kg (882 lbs)	2 Double (4 Storage Points)



**OLYMPIC MILITARY PRESS BENCH**  
SKU: 2025-1

DIMENSIONS L x W x H	WEIGHT kg (lbs)	MAX LOAD	OPTIONAL STORAGE HORNS
1230 x 1294 x 1668 mm (49 x 51 x 66 ")	118 kg (261 lbs)	400 kg (882 lbs)	4 Single (4 Storage Points)



NEW



**ADJUSTABLE BENCH**  
SKU: 2310-2

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1312 mm (52 ")	630 mm (25 ")	456 - 1176 mm (18 - 47 ")	38 kg (84 lbs)



The Exigo Multi Adjustable Bench is robust and durable and ideal for a wide range of free weight exercises. The backrest offers seven positions of adjustment from -10 degree decline to a 75-degree incline. The seat pad is also adjustable and offers three positions from flat up to a 30-degree incline. Our high impact feet keep the bench securely in place and protect gym flooring. A 38mm rubber ribbed handle with a caped anodised aluminium end and integrated wheels make it easy to manoeuvre.








**UPRIGHT UTILITY BENCH**  
SKU: 2300-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
778 mm (31")	630 mm (25")	1040 mm (41")	24 kg (53 lbs)




**FLAT BENCH**  
SKU: 2305-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1173 mm (46")	630 mm (25")	470 mm (19")	29 kg (64 lbs)



**ABDOMINAL TWISTER**  
SKU: 2395-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
960 mm (38")	604 mm (24")	1284 mm (51")	47 kg (104 lbs)



**MULTI GRIP CHINNING BAR**  
SKU: 2400-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
510 mm (21")	1190 mm (47")	380 mm (15")	86 kg (190 lbs)




**NEW**



**ADJUSTABLE DECLINE BENCH**  
SKU: 2320-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1510 mm (60")	630 mm (25")	910 mm (36")	38 kg (84 lbs)



**NEW**



**45 DEGREE HYPER EXTENSION**  
SKU: 2335-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1309 mm (51")	660 mm (26")	865 mm (34")	35 kg (78 lbs)




**NEW**



**GLUTE HAM DEVELOPER**  
SKU: 2340-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1369 mm (54")	868 mm (35")	1071 mm (43")	72 kg (159 lbs)



**NEW**




**PRONE ROW**  
SKU: 2325-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
2168 mm (86")	1488 mm (59")	914 mm (36")	64 kg (142 lbs)



**ADJUSTABLE ABDOMINAL BENCH**  
SKU: 2365-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1429 mm (57")	630 mm (25")	1074 mm (43")	37 kg (82 lbs)




**NEW**




**SEATED PREACHER CURL**  
SKU: 2355-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1135 mm (45")	824 mm (33")	1023 mm (41")	59 kg (131 lbs)



**STANDING PREACHER CURL**  
SKU: 2360-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1135 mm (45")	848 mm (34")	1225 mm (49")	57 kg (126 lbs)






NEW



**SISSY SQUAT**  
SKU: 2415-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1160 mm (46 ")	674 mm (27 ")	510 mm (21 ")	51 kg (113 lbs)




NEW



**HIP THRUST**  
SKU: 2420-1


LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1760 mm (70 ")	1052 mm (41 ")	485 mm (20 ")	62 kg (137 lbs)



**CHIN DIP LEG RAISE**


SKU: 2385-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1237 mm (49 ")	1060 mm (42 ")	2418 mm (96 ")	93 kg (205 lbs)




**SQUAT BOX**  
SKU: 2405-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
460 mm (19 ")	403 mm (16 ")	318 / 438 mm (13 / 18 ")	13 kg (29 lbs)



**POWER BLOCKS (PAIR)**  
SKU: 2410-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
470 mm each (19 " each)	420 mm each (17 " each)	320 mm each (13 " each)	22 kg each (49 lbs each)



**LEG RAISE / DIP STATION**

SKU: 2380-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1237 mm (49 ")	1060 mm (42 ")	1699 mm (67 ")	71 kg (157 lbs)



**DIPPING FRAME**  
SKU: 2345-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
996 mm (40 ")	799 mm (32 ")	1195 mm (48 ")	33 kg (73 lbs)



**WALL MOUNTED DIPPING FRAME**  
SKU: 2350-1


LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
602 mm (24 ")	600 mm (24 ")	1267 mm (50 ")	17 kg (38 lbs)



**REAR CHIN DIP LEG RAISE**

SKU: 2390-1

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1606 mm (64 ")	1060 mm (42 ")	2519 mm (100 ")	103 kg (228 lbs)







**PROWLER SLED**  
SKU: CO-2720

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1136 mm (45 ")	702 mm (28 ")	781 mm (31 ")	33 kg (73 lbs)



**SPEED SLED**  
SKU: CO-2750

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
597 mm (00 ")	450 mm (00 ")	333 mm (00 ")	16 kg (256 lbs)



**PORTABLE LANDMINE**  
SKU: CO-2735

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
775 mm (31 ")	1021 mm (41 ")	230 mm (10 ")	14 kg (31 lbs)



**DOUBLE PORTABLE LANDMINE**  
SKU: CO-2740

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
775 mm (31 ")	1261 mm (50 ")	230 mm (10 ")	21 kg (47 lbs)



**2M JUMP BAR**  
SKU: CO-2725

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT mm (inch)
1084 mm (43 ")	2165 mm (86 ")	1177 mm (47 ")	34 kg (75 lbs)



**3M JUMP BAR**  
SKU: CO-2730

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)
1084 mm (43 ")	3165 mm (125 ")	1177 mm (47 ")	36 kg (80 lbs)



# LIFTING PLATFORMS

Exigo offers a variety of lifting platforms, all of which are built to withstand the rigours of any gym or training facility and provide a dedicated space for Olympic lifting.

## RUBBER TILES

Our Rubber Tiles are fully CST tested to BS EN1177:1998 and all comply or exceed their criteria. The critical fall height of the 30mm Tiles is 0.9m.

## CUSTOM BRANDING

We offer custom branding on our oak centred lifting platforms which is ideal for displaying your gym, team or company logo.

## OAK CENTRE

Our oak centred platforms are beautifully crafted using solid engineered oak, providing the ultimate protection against gym flooring.

## COLOUR OPTIONS

Available in a variety of frame colours. Choose a primary colour for the main frame and a secondary colour for joining sections.







**2.44X3M 60MM OAK LIFTING PLATFORM**  
SKU: 2215

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
3033 mm (120 ")	2473 mm (98 ")	64 mm (3 ")

**2.44X3M 60MM RUBBER LIFTING PLATFORM**  
SKU: 2210

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
3033 mm (120 ")	2473 mm (98 ")	64 mm (3 ")

**2X1M 30MM OAK INSERT**  
SKU: 2281

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
2000 mm (78.8 ")	1000 mm (39.4 ")	30 mm (1.2 ")

**1.5X1M 30MM OAK INSERT**  
SKU: 2296

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
1500 mm (59 ")	1000 mm (39.4 ")	30 mm (1.2 ")



**2.44X2M 60MM OAK LIFTING PLATFORM**  
SKU: 2245

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
2052 mm (81 ")	2466 mm (98 ")	64 mm (3 ")

**2.44X2M 60MM RUBBER LIFTING PLATFORM**  
SKU: 2240

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
2052 mm (81 ")	2466 mm (98 ")	64 mm (3 ")

**2X1M 40MM OAK INSERT**  
SKU: 2282

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
2000 mm (78.8 ")	1000 mm (39.4 ")	40 mm (1.6 ")

**1.5X1M 40MM OAK INSERT**  
SKU: 2297

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
1500 mm (59 ")	1000 mm (39.4 ")	40 mm (1.6 ")

**NEW**



**2.44X2M 100MM OAK LIFTING PLATFORM**  
SKU: 2220

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
2052 mm (81 ")	2466 mm (98 ")	104 mm (5 ")

**IMPACT DEADLIFT FRAME**  
SKU: 2299

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)

**2X1M 56MM OAK INSERT**  
SKU: 2283

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
2000 mm (78.8 ")	1000 mm (39.4 ")	56 mm (2.2 ")

**1.5X1M 56MM OAK INSERT**  
SKU: 2298

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)
1500 mm (59 ")	1000 mm (39.4 ")	56 mm (2.2 ")





# STORAGE

One of the biggest challenges gyms face is space. Exigo's stand alone storage solutions provide opportunities to safely house accessories such as dumbbells, barbells, weight plates and other ancillary items.

## MODERN AESTHETICS

Flat sided oval steel and innovative design features offer a leading-edge, attractive appearance.

## COLOUR OPTIONS

Available in a variety of frame colours. Choose a primary colour for the main frame and a secondary colour for joining sections.


## COMPACT DESIGNS

Compact designs reduce floor space requirements, while offering easy storage and user friendly products.

## STRUCTURAL FRAME


All main frames are constructed using 100x50x3 ERW flat sided oval, produced in the UK to BSEN 10305-3:2010 specification offering a lifetime main frame warranty.





**2.5M 2 TIER DUMBBELL RACK**  
SKU: 4005

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
659 mm (26 ")	2562 mm (101 ")	729 mm (29 ")	121 kg (267 lbs)	10 pairs of Dumbbells



**2.5M 3 TIER DUMBBELL RACK**  
SKU: 4015

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
943 mm (38 ")	2576 mm (102 ")	1054 mm (42 ")	150 kg (331 lbs)	15 pairs of Dumbbells




**OLYMPIC WEIGHT TREE**  
SKU: 4040

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
810 mm (32 ")	837 mm (33 ")	1351 mm (54 ")	31 kg (69 lbs)	6 Storage Points




**OLYMPIC WEIGHT TREE WITH BAR STORAGE**  
SKU: 4045

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
810 mm (32 ")	837 mm (33 ")	1351 mm (54 ")	33 kg (73 lbs)	6 Storage Points 4 Olympic Bars



**3M 2 TIER DUMBBELL RACK**  
SKU: 4025

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
659 mm (26 ")	3046 mm (120 ")	729 mm (29 ")	135 kg (298 lbs)	12 pairs of Dumbbells



**3M 3 TIER DUMBBELL RACK**  
SKU: 4035

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
943 mm (38 ")	3046 mm (120 ")	1054 mm (42 ")	170 kg (375 lbs)	18 pairs of Dumbbells



**OLYMPIC BUMPER PLATE WEIGHT TREE**  
SKU: 4046

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
1713 mm (68 ")	1713 mm (68 ")	1329 mm (53 ")	65 kg (144 lbs)	12 Storage Points




**FREE-STANDING CHALK BOWL**  
SKU: 4047

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
500 mm (20 ")	500 mm (20 ")	811 mm (32 ")	17 kg (38 lbs)	2 Litres



**3.5M 2 TIER DUMBBELL RACK**  
SKU: 4036

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
659 mm (26 ")	3556 mm (140 ")	729 mm (29 ")	150 kg (331 lbs)	14 pairs of Dumbbells



**3.5M 3 TIER DUMBBELL RACK**  
SKU: 4037

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
943 mm (38 ")	3561 mm (141 ")	1054 mm (42 ")	205 kg (452 lbs)	21 pairs of Dumbbells



**4 OLYMPIC BAR HOLDER**  
SKU: 4060


LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
270 mm (11 ")	320 mm (13 ")	206 mm (9 ")	9 kg (20 lbs)	4 Olympic Bars



**6 OLYMPIC BAR HOLDER**  
SKU: 4065


LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
270 mm (11 ")	470 mm (19 ")	206 mm (9 ")	13 kg (29 lbs)	6 Olympic Bars





**3 BAR HORIZONTAL WALL GUN RACK**  
SKU: 4070

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
123 mm (5")	1012 mm (40")	687 mm (28")	9 kg (20 lbs)	3 Olympic Bars



**6 BAR HORIZONTAL WALL GUN RACK**  
SKU: 4071

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
123 mm (5")	1012 mm (40")	1135 mm (45")	14 kg (31 lbs)	6 Olympic Bars



**OLYMPIC PLATE TOAST RACK WITH WHEELS**  
SKU: 4085

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
919 mm (37")	340 mm (14")	293 mm (12")	25 kg (56 lbs)	Assorted Weight Plates



**OLYMPIC PLATE TOAST RACK**  
SKU: 2610

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
919 mm (37")	340 mm (14")	293 mm (12")	25 kg (56 lbs)	Assorted Weight Plates



**3 BAR VERTICAL WALL GUN RACK**  
SKU: 4072

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
100 mm (4")	350 mm (14")	105 mm (5")	3 kg (7 lbs)	3 Olympic Bars



**6 BAR VERTICAL WALL GUN RACK**  
SKU: 4073

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
100 mm (4")	700 mm (28")	105 mm (5")	6 kg (14 lbs)	6 Olympic Bars



**2 HORN WALL PLATE STORAGE**  
SKU: 4086

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
272 mm (11")	150 mm (6")	690 mm (27")	5 kg (11 lbs)	2 Storage Points



**3 HORN WALL PLATE STORAGE**  
SKU: 4087

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
272 mm (11")	150 mm (6")	1183 mm (47")	9 kg (20 lbs)	3 Storage Points



**SINGLE SIDED BARBELL RACK**  
SKU: 4075

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
0000 mm (00")	0000 mm (00")	0000 mm (00")	0000 kg (00 lbs)	5 Barbells



**DOUBLE SIDED BARBELL RACK**  
SKU: 4080

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
0000 mm (00")	0000 mm (00")	0000 mm (00")	0000 kg (00 lbs)	10 Barbells



**OLYMPIC WEIGHT STACKER WITH WHEELS**  
SKU: 4090

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
911 mm (36")	911 mm (36")	880 mm (35")	17 kg (38 lbs)	Assorted Weight Plates



**OLYMPIC WEIGHT STACKER**  
SKU: 4091

LENGTH mm (inch)	WIDTH mm (inch)	HEIGHT mm (inch)	WEIGHT kg (lbs)	STORAGE CAPACITY
910 mm (36")	910 mm (36")	760 mm (30")	15 kg (34 lbs)	Assorted Weight Plates



# COLOUR OPTIONS

## / 01

### PRIMARY COLOUR

Choose the primary colour of your equipment, this is applied to the the main frame.

## / 02

### SECONDARY COLOUR

Choose the secondary colour of your equipment, this is applied to moving parts or joining sections.

## / 03

### UPHOLSTERY COLOUR


Choose the upholstery colour for your equipment if applicable.

## / 04

### CUSTOM BRANDING

Add your gym, team or organisation logo to your equipment.

### STANDARD FRAME COLOURS



### TEXTURED FRAME COLOURS



### STANDARD UPHOLSTERY COLOURS



Actual upholstery colours may vary slightly from visuals. Other colours available on request.

### COLOUR MATCH EXISTING EQUIPMENT

In addition to our standard frame colours, we're able to match your existing equipment or specific RAL/Pantone colour.

# WARRANTY

All Exigo products are warrantied to be free from defects in materials and workmanship. Exigo warrants to the original purchaser of all new equipment purchased from an Exigo authorized dealer or from an Exigo manufacturing contractor or directly from Exigo, that these products be warrantied under normal use and used in a manner in which the product(s) was specifically designed for, used as intended and in areas designed suitable for that use and service. The shipping of parts replaced or product replaced under warranty to be determined by Exigo. Parts replaced under warranty carry the original remaining warranty period or 90 days whichever is longer.

### GENERAL WARRANTIES.

Strength, Selectorized, Plate Loaded, Olympic Stations, Strength and conditioning / Storage, Functional Range and Attachments.

### LIFETIME WARRANTY.

Main Frame, Structural Steel and Welds.

### TWO YEAR WARRANTY.

Linear Bearings, Linear Shafts , Bronze Bushings, Sealed Rotating Bearings and Pulley Wheel, Top Plate, Weight Plates, Selector Shaft, Weight Stack Guide Rods and Pulley Wheel Housings. Lifting Rack Attachments, Functional Rig Attachments and all Rack Attachments in Olympic Series.

### ONE YEAR WARRANTY.

Spring Loaded Pins, Selector Pin Cables and Cable Parts, Handles, End Caps, Rubber lifting Mats (within Integrated Lifting Platforms, Rubber Surface Tiles, Oak Centres and Lifting Platform Underboards and all other components not mentioned elsewhere in this warranty.

### 180 DAY WARRANTY.

Normal parts of wear including but not limited to Labels, Upholstered Pads, Excluding Wear, Wraps and Embroidery.

### EXCLUSIONS, OMISSIONS & INDEMNITY.

Exigo have no liability nor shall this limited warranty apply with respect to:

- Products not manufactured by Exigo or by an authorized Exigo manufacturing contractor.
- Products which have been altered without express written consent from Exigo
- Products purchased other than directly from Exigo or through an authorized Exigo dealer
- Defective coatings caused by environmental conditions including but not limited to climate conditions, cleaning materials and lubricants not specified by Exigo and moisture or humidity including perspiration.
- The defect occurs as a result of use other than fair wear and tear, wilful or negligent damage or the use of the product other than the purpose for which it is intended.
- Products not maintained in compliance with Exigo specifications shown in the relevant owner's manual and on product labels. Unreadable or altered serial tag.
- Mounting surface or substrate mounting of Exigo wall mounted units, sections or attachments. Exigo is expressly indemnified against selection of; or use of fixings for wall units or attachment to or fixing to inappropriate or inadequate surface mounting points.

Exigo shall not be liable for any special, incidental contingent, consequential damages or otherwise arising out of or in connection with a claim for any economic losses including but not limited to damage of loss of property or equipment and loss profits and revenue , loss of goodwill or reputation, anticipated or otherwise. Exigo aggregate liability for loss or damage shall in any event be limited to a sum equal to the amount paid for the products in one instance.

Exigo reserve the right under any claim to repair or replace the product as they deem fit and may elect.

### BOXING EQUIPMENT.

#### FIVE YEAR WARRANTY.

Boxing Ring, Main Frame

#### ONE YEAR WARRANTY.

Canvas Skirts, Corner Pads , All Consumables, Steel Works (Brackets)

#### 180 DAY WARRANTY.

Punch Bags , Gloves & Mitts, Ring Boards, Ropes, Tensioners

#### 90 DAY WARRANTY.

Underlay

### OUTDOOR EQUIPMENT.

#### FIVE YEAR WARRANTY.

Main Frame, Structural Steel and Welds (excluding coatings) against structural failure due to corrosion or defects in workmanship

#### ONE YEAR WARRANTY.

Linear Bearings, Linear Shafts , Bronze Bushings

#### 90 DAY WARRANTY.

Spring Loaded Pins, Selector Pin Cables and Cable Parts, Handles, End Caps

#### 30 DAY WARRANTY.

Normal parts of wear including but not limited to Labels, Upholstered Pads, Excluding Wear, Wraps and Embroidery.





©2024 Exigo. All Rights Reserved.